



**Healthy Youth Survey 2006  
Report of Participating Schools**

**Thurston County**

**Grade 6**

RMC Research Corporation  
522 SW Fifth Avenue, Suite 1407  
Portland, OR 97204

March 2007

# Contents

---

Introduction and Overview .....	1
Key to the Notes.....	1
Highlights of the Local Results .....	2
Selected Results by Gender.....	3
General Information (Items 1–14).....	4
Alcohol, Tobacco, and Other Drug (ATOD) Use.....	5
Lifetime Use (Items 15–26) .....	5
30-Day Use (Items 27–42) .....	6
Other Tobacco-Related Questions (Items 43–63) .....	7
Other Alcohol- and Drug-Related Questions (Items 64–67).....	8
Other Health Concerns .....	8
Nutrition and Fitness (Items 68–89).....	8
Health Conditions and Health Care (Items 90–103) .....	10
Safety (Items 104–111) .....	10
Behaviors Related to Intentional Injuries (Items 112–121).....	11
Depression (Items 122–131) .....	12
School Climate (Items 132–142).....	12
Quality of Life (Items 143–150).....	13
Risk and Protective Factors .....	13
Risk and Protective Factor Framework and Reporting Schedule.....	14
Risk and Protective Factor Scale Results .....	15
Graph of Scale Results .....	16
Risk and Protective Factors: Individual Item Results.....	17
Community Domain (Items 151–173).....	17
Family Domain (Items 174–188) .....	19
School Domain (Items 189–206) .....	20
Peer and Individual Domain (Items 207–267) .....	21
Item Index.....	25

# Healthy Youth Survey 2006 Survey Results

## Thurston County, Grade 6

<b>Number of students surveyed:</b>	<b>2044</b>
<b>Number of valid responses:</b>	<b>2021</b>
<b>Estimate of enrolled students:*</b>	<b>2927</b>
<b>Survey participation rate:**</b>	<b>69 %</b>

### Introduction and Overview

The impact of adolescent health risk behaviors remains a primary concern of citizens throughout the country. Many health problems experienced by adolescents are caused by a very few preventable behaviors. Patterns of alcohol, tobacco, and other drug (ATOD) use and related risk behaviors are often formed during adolescence. These patterns play an important role in health throughout adulthood.

This report presents results from the fall 2006 Healthy Youth Survey in Washington State. This survey was sponsored by the Office of Superintendent of Public Instruction; the Department of Health; the Department of Social and Health Services; the Department of Community, Trade and Economic Development; and the Family Policy Council, in cooperation with schools throughout the state of Washington.

For each item, local results appear in the first two columns and statewide results appear in the second two columns. The number of valid responses (“*n*”) appears in parentheses for each item. Survey items covering the same topics are grouped together (the item numbering is specific to this report and does not necessarily reflect the item order on the actual survey). The bulleted points and graphs included at the beginning of this report highlight selected findings. Additional information may be found in the *Interpretive Guide* posted to the Healthy Youth Survey web site (<http://www.hys.wa.gov/>).

Survey participation rates can be found on the Healthy Youth Survey web site. The following guidance from DOH may be used when reviewing your results. However, if a particular group(s) of students did not complete the survey and therefore did not contribute to your results, there may be limitations to your results even if you have a high participation rate (i.e., if differences exist between students who *did* and who *did not* complete the survey). There may be value in discussing the potential limitations when using the results in this report.

- 70% or greater participation – Results are probably representative of students in this grade.
- 40-69% participation – Results may be representative of students in this grade.
- Less than 40% participation – Results are likely not representative of students in this grade but do reflect students who completed the survey.

### Key to the Notes

The survey was administered in 3 versions. Forms A and B were administered to students in Grades 8, 10, and 12. These two forms contained a core set of common items (see “List of Core Items” on the last page of this report) and additional items unique to each form. Form C was administered to students in Grade 6. This form consisted primarily of items drawn from Forms A and B but also included some unique items. Several items on each form were optional at the discretion of the school; schools that did not administer the optional items tore off the last page of the survey booklet. The following notes are used throughout this report to document the differences between the items on different versions and indicate the optional items:

A = wording on Form A

B = wording on Form B

C = wording on Form C

† = optional item

\* Estimate of enrolled students based on 2004–2005 figures from OSPI (or later if not available for that period).


\*\* Participation rate = valid responses ÷ enrolled students (may be >100% if enrollment greater in 2006 than 2004).

### Highlights of the Local Results


Your students and students statewide reported the following behaviors and attitudes:

	Your students		Statewide	
▪ Smoking cigarettes in the past 30 days (see item 28).	1.1%	(± 0.4%)	1.9%	(± 0.4%)
▪ Drinking alcohol in the past 30 days (see item 34).	4.4	(± 1.0)	4.3	(± 0.6)
▪ Using marijuana or hashish in the past 30 days (see item 35).	0.7	(± 0.4)	1.5	(± 0.4)
▪ Carrying a weapon at school in the past 30 days (see item 112, 113).	2.5	(± 0.8)	2.6	(± 0.4)
▪ Being bullied in the past 30 days (see item 132).	30.7	(± 2.2)	31.6	(± 1.4)
▪ Enjoyed being in school over the past year (see item 194).	56.8	(± 2.2)	54.3	(± 1.4)
▪ Feeling safe at school (see item 205).	88.9	(± 1.4)	88.6	(± 1.2)

#### Substance Use and Weapon Carrying in the Past 30 Days



#### Bullying and School Climate



### Selected Results by Gender

Selected items are presented by gender to highlight any differences between females and males. The p-values reported after each item can be used to examine whether differences in the local data between females and males are statistically significant. To ensure student anonymity, local results are suppressed for each item on this page if any cell (e.g., females who reported smoking) represented fewer than 15 students.

During the past 30 days, on how many days did you smoke cigarettes? (See item 28.)

	Local (n = *)		State (n = 8,503)	
	Female	Male	Female	Male
None	*.%	*.%	98.2%	98.1%
1 or more	*.	*.	1.8	1.9

*Note.* p = \* from a chi-square test.

During the past 30 days, on how many days did you drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)? (See item 34.)

	Local (n = 1,947)		State (n = 8,469)	
	Female	Male	Female	Male
None	96.3%	94.9%	96.3%	95.1%
1 or more	3.7	5.1	3.7	4.9

*Note.* p = .138 from a chi-square test.

Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.) (See item 65.)

[Only on the secondary version of the survey.]

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (See item 122.)

[Only on the secondary version of the survey.]

In the last 30 days, how often have you been bullied? (See item 132.)

	Local (n = 1,907)		State (n = 8,373)	
	Female	Male	Female	Male
I have not been bullied	68.4%	70.3%	68.3%	68.6%
Once or more	31.6	29.7	31.7	31.4

*Note.* p = .366 from a chi-square test.

I feel safe at my school. (See item 205.)

	Local (n = 1,995)		State (n = 8,681)	
	Female	Male	Female	Male
No	10.0%	12.2%	9.9%	12.8%
Yes	90.0	87.8	90.1	87.2

*Note.* p = .108 from a chi-square test.

## General Information

[Item 1 appears only on the secondary version of the survey.]

	Local (n = 2,017)	State (n = 8,802)
2. How old are you?		
a. 10 or younger	1.3% (± 0.6%)	2.0% (± 0.4%)
b. 11	73.8 (± 2.0)	72.8 (± 1.4)
c. 12	24.0 (± 2.0)	24.1 (± 1.2)
d. 13	0.8 (± 0.4)	1.0 (± 0.4)
e. 14	0.0 (± 0.0)	0.1 (± 0.2)
f. 15 or older	0.0 (± 0.0)	0.0 (± 0.0)

	Local (n = 2,015)	State (n = 8,797)
3. Are you:		
a. Female	49.4% (± 2.2%)	50.5% (± 1.2%)
b. Male	50.6 (± 2.2)	49.5 (± 1.2)

	Local (n = 1,961)	State (n = 8,527)
4. How do you describe yourself? (Select one or more responses.)		
a. American Indian or Alaskan Native	6.8% (± 1.2%)	5.7% (± 1.0%)
b. Asian or Asian American	8.1 (± 1.2)	6.9 (± 1.4)
c. Black or African-American	4.3 (± 1.0)	4.9 (± 1.6)
d. Hispanic or Latino/Latina	5.3 (± 1.0)	9.8 (± 2.5)
e. Native Hawaiian or other Pacific Islander	2.1 (± 0.6)	1.7 (± 0.4)
f. White or Caucasian	42.1 (± 2.2)	39.2 (± 3.5)
g. Other	19.0 (± 1.8)	18.5 (± 1.4)
<i>More than one race/ethnicity marked</i>	12.3 (± 1.4)	13.2 (± 1.0)

[Item 5 appears only on the secondary version of the survey.]

	Local (n = 1,998)	State (n = 8,682)
6. What language is usually spoken in the home?		
a. English	91.2% (± 1.2%)	84.2% (± 3.1%)
b. Spanish	3.6 (± 0.8)	8.6 (± 2.5)
c. Other	5.2 (± 1.0)	7.2 (± 1.6)

[Items 7–13 appear only on the secondary version of the survey.]

	Local (n = 1,792)	State (n = 7,886)
14. How honest were you in filling out this survey?		
a. I was very honest.	90.6% (± 1.4%)	90.6% (± 0.6%)
b. I was honest pretty much of the time.	8.6 (± 1.4)	8.4 (± 0.6)
c. I was honest some of the time.	0.8 (± 0.4)	1.0 (± 0.2)
d. I was honest once in a while.		Surveys pulled
e. I was not honest at all.		Surveys pulled

## Alcohol, Tobacco, and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. The economic costs of ATOD use are enormous (in Washington State an estimated \$1.81 billion in 1990 and \$2.54 billion in 1996). Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

### Lifetime Use

[Item 15 appears only on the secondary version of the survey.]

16.	Have you ever smoked a whole cigarette? (Computed from item 46 or 47.)	Local (n = 1,922)	State (n = 8,398)
	a. No	96.0% (± 0.8%)	95.1% (± 0.8%)
	b. Yes	4.0 (± 0.8)	4.9 (± 0.8)
17.	Have you ever had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)? (Computed from item 214 or 215.)	Local (n = 1,930)	State (n = 8,421)
	a. No	69.9% (± 2.0%)	69.1% (± 1.6%)
	b. Yes	30.1 (± 2.0)	30.9 (± 1.6)
18.	Have you ever smoked marijuana? (Computed from item 211 or 212.)	Local (n = 1,937)	State (n = 8,447)
	a. No	98.1% (± 0.6%)	96.8% (± 0.6%)
	b. Yes	1.9 (± 0.6)	3.2 (± 0.6)

[Items 19–23 appear only on the secondary version of the survey.]

24.	Have you ever, even once in your lifetime, used inhalants (things you sniff to get high)?	Local (n = 1,925)	State (n = 8,409)
	a. Yes	2.4% (± 0.6%)	3.7% (± 0.6%)
	b. No	97.6 (± 0.6)	96.3 (± 0.6)
25.	Have you ever, even once in your lifetime, used other illegal drugs?	Local (n = 1,936)	State (n = 8,420)
	a. Yes	2.2% (± 0.6%)	3.3% (± 0.4%)
	b. No	97.8 (± 0.6)	96.7 (± 0.4)

[Item 26 appears only on the secondary version of the survey.]

**30-Day Use (Use in the Past 30 Days)**

[Item 27 appears only on the secondary version of the survey.]

*During the past 30 days, on how many days did you:*

	Local (n = 1,955)	State (n = 8,527)
28. Smoke cigarettes?		
a. None	98.9% (± 0.4%)	98.1% (± 0.4%)
b. 1 – 2 days	0.6 (± 0.4)	1.1 (± 0.2)
c. 3 – 5 days	0.2 (± 0.2)	0.3 (± 0.2)
d. 6 – 9 days	0.1 (± 0.2)	0.2 (± 0.0)
e. 10 – 29 days	0.1 (± 0.2)	0.1 (± 0.0)
f. All 30 days	0.2 (± 0.2)	0.1 (± 0.0)
<i>Any use in past 30 days</i>	<i>1.1 (± 0.4)</i>	<i>1.9 (± 0.4)</i>

	Local (n = 1,956)	State (n = 8,497)
29. Use chewing tobacco, snuff, or dip?		
a. None	99.3% (± 0.4%)	98.8% (± 0.2%)
b. 1 – 2 days	0.5 (± 0.4)	0.7 (± 0.2)
c. 3 – 5 days	0.1 (± 0.2)	0.2 (± 0.0)
d. 6 – 9 days	0.1 (± 0.2)	0.1 (± 0.0)
e. 10 – 29 days	0.0 (± 0.0)	0.1 (± 0.0)
f. All 30 days	0.1 (± 0.2)	0.1 (± 0.0)
<i>Any use in past 30 days</i>	<i>0.7 (± 0.4)</i>	<i>1.2 (± 0.2)</i>

[Items 30-33 appear only on the secondary version of the survey.]

	Local (n = 1,951)	State (n = 8,493)
34. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?		
a. None	95.6% (± 1.0%)	95.7% (± 0.6%)
b. 1 – 2 days	3.5 (± 0.8)	3.1 (± 0.6)
c. 3 – 5 days	0.4 (± 0.2)	0.6 (± 0.2)
d. 6 – 9 days	0.3 (± 0.2)	0.2 (± 0.0)
e. 10 or more days	0.3 (± 0.2)	0.4 (± 0.2)
<i>Any use in past 30 days</i>	<i>4.4 (± 1.0)</i>	<i>4.3 (± 0.6)</i>

	Local (n = 1,945)	State (n = 8,472)
35. Use marijuana or hashish (grass, hash, pot)?		
a. None	99.3% (± 0.4%)	98.5% (± 0.4%)
b. 1 – 2 days	0.5 (± 0.4)	0.9 (± 0.2)
c. 3 – 5 days	0.1 (± 0.2)	0.2 (± 0.0)
d. 6 – 9 days	0.1 (± 0.2)	0.2 (± 0.0)
e. 10 or more days	0.2 (± 0.2)	0.2 (± 0.0)
<i>Any use in past 30 days</i>	<i>0.7 (± 0.4)</i>	<i>1.5 (± 0.4)</i>

[Items 36-42 appear only on the secondary version of the survey.]



**Other Tobacco-Related Questions**

[Item 43 appears only on the secondary version of the survey.]

44.	If one of your best friends offered you a cigarette, would you smoke it?	Local (n = 1,887)	State (n = 8,293)
a.	Definitely no	90.2% (± 1.4%)	90.2% (± 1.0%)
b.	Probably no	7.3 (± 1.2)	6.8 (± 0.6)
c.	Probably yes	2.0 (± 0.6)	2.2 (± 0.4)
d.	Definitely yes	0.4 (± 0.2)	0.8 (± 0.2)

45.	Do you think that you will smoke a cigarette anytime in the next year?	Local (n = 1,890)	State (n = 8,289)
a.	Definitely no	89.4% (± 1.4%)	88.3% (± 1.2%)
b.	Probably no	8.2 (± 1.2)	8.4 (± 0.8)
c.	Probably yes	2.0 (± 0.6)	2.4 (± 0.4)
d.	Definitely yes	0.5 (± 0.4)	0.9 (± 0.2)

[Item 46 appears only on the secondary version of the survey.]

47.	How old were you the first time you smoked a whole cigarette?	Local (n = 1,922)	State (n = 8,398)
a.	Never have	96.0% (± 0.8%)	95.1% (± 0.8%)
b.	10 or younger	2.5 (± 0.8)	3.1 (± 0.6)
c.	11	1.1 (± 0.4)	1.3 (± 0.4)
d.	12	0.3 (± 0.2)	0.2 (± 0.2)
e.	13 or older	0.1 (± 0.2)	0.3 (± 0.2)

48.	Have made a firm commitment to not smoke cigarettes; i.e., not susceptible to smoking (computed from both items 44 and 45).	Local (n = 1,886)	State (n = 8,277)
a.	Yes, susceptible	86.4% (± 1.6%)	85.6% (± 1.2%)
b.	No, not susceptible	13.6 (± 1.6)	14.4 (± 1.2)

49.	Do you think young people risk harming themselves if they smoke 1 – 5 cigarettes a day?	Local (n = 1,830)	State (n = 8,049)
a.	Definitely no	6.1% (± 1.2%)	6.4% (± 0.8%)
b.	Probably no	5.2 (± 1.0)	5.7 (± 0.6)
c.	Probably yes	28.7 (± 2.2)	29.2 (± 1.2)
d.	Definitely yes	60.0 (± 2.2)	58.7 (± 1.6)

50.	During the past year in school, how many times did you get information in classes about the dangers of tobacco use?	Local (n = 2,002)	State (n = 8,697)
a.	None	17.8% (± 1.8%)	17.0% (± 1.6%)
b.	Once	23.2 (± 1.8)	16.9 (± 1.4)
c.	2 or 3 times	34.3 (± 2.2)	31.8 (± 1.6)
d.	4 or more times	24.8 (± 2.0)	34.3 (± 2.9)

51.	During the past year, did you practice ways to say NO to tobacco in any of your classes (for example, by role playing)?	Local (n = 1,996)	State (n = 8,694)
a.	Yes	33.5% (± 2.2%)	44.5% (± 3.3%)
b.	No	39.8 (± 2.2)	32.9 (± 2.5)
c.	Not sure	26.7 (± 2.0)	22.6 (± 1.4)

[Items 52–54 appear only on the secondary version of the survey.]

55.	Do you think the smoke from other people's cigarettes (secondhand smoke) is harmful to you?	Local (n = 1,796)	State (n = 7,929)
a.	Definitely no	6.0% (± 1.2%)	6.3% (± 0.8%)
b.	Probably no	5.2 (± 1.0)	4.9 (± 0.6)
c.	Probably yes	25.1 (± 2.0)	23.7 (± 1.2)
d.	Definitely yes	63.7 (± 2.2)	65.1 (± 1.6)

[Item 56 appears only on the secondary version of the survey.]

57.	Some tobacco companies make t-shirts, lighters or other items that people can buy or receive for free. Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses?	Local (n = 1,809)	State (n = 7,945)
a.	Definitely no	69.1% (± 2.2%)	67.5% (± 1.4%)
b.	Probably no	21.4 (± 2.0)	21.7 (± 1.0)
c.	Probably yes	7.1 (± 1.2)	8.0 (± 0.8)
d.	Definitely yes	2.4 (± 0.8)	2.8 (± 0.4)

58.	During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	Local (n = 1,797)	State (n = 7,947)
a.	0 days	65.9% (± 2.2%)	66.8% (± 1.8%)
b.	1 – 2 days	15.9 (± 1.8)	15.9 (± 0.8)
c.	3 – 4 days	5.6 (± 1.0)	5.0 (± 0.6)
d.	5 – 6 days	2.8 (± 0.8)	2.6 (± 0.4)
e.	7 days	9.9 (± 1.4)	9.8 (± 1.2)

[Item 59–61 appears only on the secondary version of the survey.]

62.	Has either of your parents (or guardians) discussed the dangers of tobacco use with you?	Local (n = 1,812)	State (n = 7,982)
a.	Mother (or female guardian) only	15.8% (± 1.8%)	15.4% (± 1.0%)
b.	Father (or male guardian) only	3.8 (± 0.8)	3.8 (± 0.4)
c.	Both	64.2 (± 2.2)	63.3 (± 1.6)
d.	Neither	16.2 (± 1.8)	17.5 (± 1.0)

[Item 63 appears only on the secondary version of the survey.]

## Other Alcohol- and Drug-Related Questions

[Items 64–67 appear only on the secondary version of the survey.]

## Other Health Concerns

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, and depression. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

## Nutrition and Fitness

[Item 68 appears only on the secondary version of the survey.]

69.	Which of the following are you trying to do about your weight?		
		Local (n = 1,804)	State (n = 7,957)
a.	I am not trying to do anything about my weight	26.2% (± 2.0%)	23.2% (± 1.2%)
b.	Lose weight	35.8 (± 2.2)	38.8 (± 1.8)
c.	Gain weight	9.8 (± 1.4)	9.1 (± 0.8)
d.	Stay the same weight	28.3 (± 2.2)	28.9 (± 1.4)

[Item 70 appears only on the secondary version of the survey.]

71.	How many sodas or pops did you drink yesterday? (Do not count diet soda.)		
		Local (n = 1,813)	State (n = 7,990)
a.	None	67.6% (± 2.2%)	64.8% (± 1.6%)
b.	1	24.3 (± 2.0)	24.5 (± 1.2)
c.	2	5.0 (± 1.0)	6.9 (± 0.6)
d.	3	1.5 (± 0.6)	1.8 (± 0.2)
e.	4 or more	1.7 (± 0.6)	2.0 (± 0.4)

72.	Did you buy any of these at school?		
		Local (n = 1,803)	State (n = 7,957)
a.	I did not drink sodas or pop yesterday	48.0% (± 2.4%)	46.2% (± 1.8%)
b.	Yes	3.9 (± 1.0)	6.0 (± 1.4)
c.	No	48.1 (± 2.4)	47.8 (± 1.6)

73.	How often do you eat dinner with your family? <sup>†</sup> (Form C only)		
		Local (n = 1,321)	State (n = 4,560)
a.	Never	3.4% (± 1.0%)	3.5% (± 0.6%)
b.	Rarely	10.2 (± 1.6)	9.5 (± 1.0)
c.	Sometimes	14.1 (± 2.0)	12.9 (± 1.2)
d.	Most of the time	32.6 (± 2.5)	32.7 (± 1.8)
e.	Always	39.7 (± 2.5)	41.4 (± 2.2)

[Items 74–78 appear only on the secondary version of the survey.]

79.	Did you eat breakfast today?		
		Local (n = 1,814)	State (n = 8,026)
a.	Yes	78.6% (± 2.0%)	76.8% (± 1.8%)
b.	No	21.4 (± 2.0)	23.2 (± 1.8)

**On how many of the past 7 days did you:**

80.	Exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?		
		Local (n = 2,009)	State (n = 8,738)
a.	0 days	4.1% (± 0.8%)	4.8% (± 0.6%)
b.	1 day	5.7 (± 1.0)	5.8 (± 0.6)
c.	2 days	7.1 (± 1.2)	8.1 (± 0.6)
d.	3 days	11.6 (± 1.4)	11.9 (± 0.8)
e.	4 days	12.7 (± 1.4)	13.5 (± 1.0)
f.	5 days	16.8 (± 1.6)	16.9 (± 1.0)
g.	6 days	10.4 (± 1.4)	10.2 (± 0.8)
h.	7 days	31.7 (± 2.0)	28.9 (± 1.4)

[Items 81–84 appear only on the secondary version of the survey.]

85. On an average school day, how many hours do you watch TV, play video games, or use a computer or the Internet for fun?				
		Local		State
		(n = 2,004)		(n = 8,736)
a. I do not do these activities on an average school day	8.0%	(± 1.2%)	8.7%	(± 0.8%)
b. Less than 1 hour per day	19.0	(± 1.8)	19.3	(± 1.2)
c. 1 hour per day	20.5	(± 1.8)	18.9	(± 1.0)
d. 2 hours per day	24.1	(± 2.0)	22.1	(± 1.0)
e. 3 hours per day	13.3	(± 1.6)	14.6	(± 0.8)
f. 4 hours per day	6.0	(± 1.0)	6.6	(± 0.6)
g. 5 or more hours per day	9.1	(± 1.2)	10.0	(± 1.2)

[Items 86–88 appear only on the secondary version of the survey.]

89. Not counting very short trips, such as walking from the car to your house or walking to get the mail, in an average week, on how many days do you bicycle or walk near your home or to school?				
		Local		State
		(n = 1,985)		(n = 8,654)
a. I do not walk or bike near my home or to school	22.4%	(± 1.8%)	22.6%	(± 2.0%)
b. 1 – 2 days	26.4	(± 2.0)	26.1	(± 1.4)
c. 3 or more days	51.2	(± 2.2)	51.3	(± 2.0)

### Health Conditions and Health Care

90. Have you ever been told by a doctor or other health professional that you had asthma?				
		Local		State
		(n = 2,013)		(n = 8,757)
a. Yes	15.2%	(± 1.6%)	14.7%	(± 0.8%)
b. No	73.3	(± 2.0)	73.4	(± 1.2)
c. Not sure	11.6	(± 1.4)	11.9	(± 0.8)
91. During the past 12 months, have you had an asthma attack or taken asthma medication?				
		Local		State
		(n = 2,009)		(n = 8,734)
a. Never had asthma	58.7%	(± 2.2%)	57.2%	(± 1.4%)
b. Yes	9.4	(± 1.2)	9.1	(± 0.6)
c. No	26.7	(± 2.0)	27.8	(± 1.2)
d. Not sure	5.2	(± 1.0)	5.9	(± 0.6)

[Items 92–103 appear only on the secondary version of the survey.]

### Safety

[Item 104 appears only on the secondary version of the survey.]

105. When you ride a bicycle, how often do you wear a helmet?				
		Local		State
		(n = 2,014)		(n = 8,784)
a. I do not ride a bicycle	7.1%	(± 1.2%)	9.9%	(± 1.2%)
b. Never wear a helmet	18.2	(± 1.8)	17.7	(± 2.4)
c. Rarely wear a helmet	14.2	(± 1.6)	12.9	(± 1.0)
d. Sometimes wear a helmet	14.3	(± 1.6)	14.3	(± 0.8)
e. Most of the time wear a helmet	18.9	(± 1.8)	17.4	(± 1.6)
f. Always wear a helmet	27.3	(± 2.0)	27.8	(± 2.5)

[Item 106 appears only on the secondary version of the survey.]

107. How often do you wear a seat belt when riding in a car (driven by someone else) <sup>B?</sup>	Local (n = 2,015)	State (n = 8,791)
a. Never	0.4% (± 0.2%)	0.6% (± 0.2%)
b. Rarely	0.6 (± 0.4)	0.9 (± 0.2)
c. Sometimes	2.1 (± 0.6)	3.1 (± 0.6)
d. Most of the time	12.6 (± 1.4)	14.3 (± 0.8)
e. Always	84.3 (± 1.6)	81.1 (± 1.2)

[Item 108 appears only on the secondary version of the survey.]

109. Have you ever ridden in a car driven by someone who had been drinking alcohol?	Local (n = 1,822)	State (n = 8,054)
a. Yes	19.5% (± 1.8%)	22.4% (± 1.6%)
b. No	59.0 (± 2.4)	58.1 (± 2.0)
c. Not sure	21.5 (± 2.0)	19.5 (± 1.0)

[Item 110 appears only on the secondary version of the survey.]

111. In the past 30 days, when you bicycled or walked in your neighborhood or to school, were there dogs or people who scared you?	Local (n = 1,999)	State (n = 8,736)
a. Yes, dogs	8.1% (± 1.2%)	9.6% (± 0.8%)
b. Yes, people	10.3 (± 1.4)	9.9 (± 0.8)
c. Yes, both dogs and people	7.7 (± 1.2)	8.3 (± 0.8)
d. No	61.6 (± 2.2)	60.1 (± 1.8)
e. I did not walk or ride a bike	12.3 (± 1.4)	12.1 (± 1.2)

### Behaviors Related to Intentional Injuries

[Items 112 appears only on the secondary version of the survey.]

113. During the past 30 days, did you carry a weapon such as a gun, knife, or club on school property?	Local (n = 1,922)	State (n = 8,460)
a. Yes	2.5% (± 0.8%)	2.6% (± 0.4%)
b. No	97.5 (± 0.8)	97.4 (± 0.4)

114. During the past 12 months, how many times were you in a physical fight?	Local (n = 1,901)	State (n = 8,354)
a. 0 times	65.5% (± 2.2%)	65.4% (± 1.6%)
b. 1 time	15.7 (± 1.6)	16.3 (± 0.8)
c. 2 – 3 times	9.6 (± 1.4)	9.1 (± 0.8)
d. 4 – 5 times	3.1 (± 0.8)	3.0 (± 0.4)
e. 6 or more times	6.2 (± 1.2)	6.2 (± 0.8)

[Items 115–116 appear only on the secondary version of the survey.]

117. Do you try to work out your problems by talking about them?	Local (n = 1,882)	State (n = 8,258)
a. No, never	22.3% (± 2.0%)	23.3% (± 2.0%)
b. Yes, some of the time	34.4 (± 2.2)	35.7 (± 1.0)
c. Yes, most of the time	25.2 (± 2.0)	23.7 (± 1.6)
d. Yes, all of the time	18.1 (± 1.8)	17.4 (± 1.2)

[Items 118–121 appear only on the secondary version of the survey.]

## Depression

[Items 122–125 appear only on the secondary version of the survey.]

126. Have you ever seriously thought about killing yourself?	Local (n = 1,891)	State (n = 8,296)
a. Yes	16.2% (± 1.6%)	16.3% (± 1.2%)
b. No	83.8 (± 1.6)	83.7 (± 1.2)

127. Have you ever tried to kill yourself?	Local (n = 1,892)	State (n = 8,295)
a. Yes	4.6% (± 1.0%)	5.1% (± 0.6%)
b. No	95.4 (± 1.0)	94.9 (± 0.6)

128. When you feel sad or hopeless, are there adults you can turn to for help?	Local (n = 1,886)	State (n = 8,286)
a. I never feel sad or hopeless	13.8% (± 1.6%)	14.9% (± 1.0%)
b. Yes	65.6 (± 2.2)	65.3 (± 1.8)
c. No	9.0 (± 1.4)	8.7 (± 0.8)
d. Not sure	11.6 (± 1.4)	11.2 (± 0.8)

[Items 129–131 appear only on the secondary version of the survey.]

## School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

132. A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength argue or fight. In the last 30 days, how often have you been bullied?	Local (n = 1,911)	State (n = 8,396)
a. I have not been bullied	69.3% (± 2.2%)	68.4% (± 1.4%)
b. Once	15.2 (± 1.6)	16.1 (± 1.0)
c. 2 – 3 times	7.4 (± 1.2)	8.1 (± 0.6)
d. About once a week	2.3 (± 0.6)	2.3 (± 0.4)
e. Several times a week	5.9 (± 1.0)	5.2 (± 0.6)

[Items 133–142 appear only on the secondary version of the survey.]

## Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the items related to individual quality of life.

[Items 143–149 appear only on the secondary version of the survey.]

	Local ( <i>n</i> = 1,993)	State ( <i>n</i> = 8,705)
150. Do you have goals and plans for the future?		
a. No	11.2% (± 1.4%)	11.7% (± 0.8%)
b. Yes	88.8 (± 1.4)	88.3 (± 0.8)

## Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research has shown that protective factors exert a positive influence against the negative influence of risk factors. The survey included substantial coverage of risk and protective factors based on the work of Drs. Hawkins and Catalano and associates at the University of Washington. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey items were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

The table on the following page provides the complete list of risk and protective factors and indicates the years the Healthy Youth Survey has included each factor.

**Risk and Protective Factor Framework and Reporting Schedule**

	Healthy Youth Survey Administration Year					
	1995	1998	2000	2002	2004	2006
<b>Community Risk Factors</b>						
Low Neighborhood Attachment	X	X	X	X <sup>S</sup>		X
Community Disorganization	X					
Transitions and Mobility	X				X <sup>S</sup>	
Perceived Availability of Drugs	X	X	X	X	X	X
Perceived Availability of Handguns	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Laws And Norms Favorable to Drug Use	X	X	X	X	X	X
<b>Community Protective Factors</b>						
Opportunities for Prosocial Involvement			X	X	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X
<b>Family Risk Factors</b>						
Family History of Antisocial Behavior	X					
Poor Family Management	X			X <sup>S,†</sup>	X <sup>S,†</sup>	X <sup>S,†</sup>
Family Conflict						
Parental Attitudes Favorable towards Drug Use					X <sup>S,†</sup>	
Parental Attitudes Favorable to Antisocial Behavior	X				X <sup>S,†</sup>	
Antisocial Behavior Among Familiar Adults				X <sup>S</sup>		
<b>Family Protective Factors</b>						
Attachment						
Opportunities for Prosocial Involvement	X			X <sup>†</sup>	X <sup>E,†</sup>	X <sup>†</sup>
Rewards for Prosocial Involvement	X			X <sup>†</sup>	X <sup>E,†</sup>	X <sup>†</sup>
<b>School Risk Factors</b>						
Academic Failure	X	X	X	X	X	X
Low Commitment to School	X	X	X	X	X	X
<b>School Protective Factors</b>						
Opportunities for Prosocial Involvement	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X
<b>Peer-Individual Risk Factors</b>						
Rebelliousness	X	X				
Gang Involvement						
Perceived Risk of Drug Use		X	X	X	X	X
Early Initiation of Drug Use			X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Early Initiation of Antisocial Behavior	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Favorable Attitudes Towards Drug Use	X	X	X	X	X	X
Favorable Attitudes Towards Antisocial Behavior	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Sensation Seeking	X	X				
Rewards for Antisocial Involvement		X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Friends' Use of Drugs	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Interaction With Antisocial Peers	X	X			X <sup>S</sup>	X <sup>S</sup>
Intentions to Use				X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
<b>Peer-Individual Protective Factors</b>						
Interaction With Prosocial Peers						
Belief in the Moral Order	X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Prosocial Involvement					X	X
Rewards for Prosocial Involvement						
Social Skills	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Religiosity		X				

Note. S = Included only on the secondary version; E = Included only on the elementary version; † = Based on optional items.




## Risk and Protective Factor Scale Results

For each *risk* factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that *more* students are likely to engage in problem behaviors. For each *protective* factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that *fewer* students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.

<b>Community Risk Factors</b>	Local ( <i>n</i> = 1,882)	State ( <i>n</i> = 8,189)
Perceived Availability of Drugs (Items 154–157)	22.3% (± 2.0%)	24.6% (± 1.4%)
Laws And Norms Favorable to Drug Use (Items 159–164)	37.4% (± 2.2%)	37.0% (± 1.8%)
<b>Community Protective Factors</b>	Local ( <i>n</i> = 1,972)	State ( <i>n</i> = 8,638)
Rewards for Prosocial Involvement (Items 171–173)	38.7% (± 2.2%)	37.9% (± 1.4%)
<b>Family Risk Factors</b>	[Only on the secondary version of the survey.]	
<b>Family Protective Factors</b>	Local ( <i>n</i> = 1,327)	State ( <i>n</i> = 4,570)
Opportunities for Prosocial Involvement (Items 182–184)	55.5% (± 2.7%)	54.2% (± 2.2%)
Rewards for Prosocial Involvement (Items 185–188)	58.2% (± 2.7%)	58.2% (± 2.2%)
<b>School Risk Factors</b>	Local ( <i>n</i> = 1,879)	State ( <i>n</i> = 8,163)
Academic Failure (Items 189–190)	40.3% (± 2.2%)	41.5% (± 1.8%)
Low Commitment to School (Items 191–197)	50.5% (± 2.2%)	52.0% (± 1.6%)
<b>School Protective Factors</b>	Local ( <i>n</i> = 1,994)	State ( <i>n</i> = 8,691)
Rewards for Prosocial Involvement (Items 203–206)	54.8% (± 2.2%)	52.8% (± 1.8%)
<b>Peer-Individual Risk Factors</b>	Local ( <i>n</i> = 1,641)	State ( <i>n</i> = 7,145)
Perceived Risk of Drug Use (Items 207–210)	30.5% (± 2.2%)	32.7% (± 1.6%)
Favorable Attitudes Towards Drug Use (Items 225–228)	21.0% (± 1.8%)	21.4% (± 1.4%)
<b>Peer-Individual Protective Factors</b>	Local ( <i>n</i> = 1,946)	State ( <i>n</i> = 8,470)
Interaction With Prosocial Peers (Items 252–256)	45.7% (± 2.2%)	46.2% (± 1.6%)
Prosocial Involvement (Items 261–263)	41.1% (± 2.2%)	43.6% (± 1.8%)

# Graph of Scale Results

## Risk and Protective Factors



## Risk and Protective Factors: Individual Item Results

The remainder of the report provides results for the individual items used to compute the risk and protective factors.

### Community Domain

[Items 151–153 appear only on the secondary version of the survey.]

154. If you wanted to get some beer, wine, or hard liquor (for example, vodka, whiskey, or gin), how easy would it be for you to get some?		
	Local (n = 1,897)	State (n = 8,246)
a. Very hard	67.4% (± 2.2%)	66.6% (± 1.4%)
b. Sort of hard	15.4 (± 1.6)	15.1 (± 1.0)
c. Sort of easy	9.2 (± 1.4)	10.1 (± 0.8)
d. Very easy	8.0 (± 1.2)	8.1 (± 0.8)
155. If you wanted to get some cigarettes, how easy would it be for you to get some?		
	Local (n = 1,885)	State (n = 8,220)
a. Very hard	71.1% (± 2.0%)	69.2% (± 1.6%)
b. Sort of hard	12.2 (± 1.6)	13.0 (± 0.8)
c. Sort of easy	8.3 (± 1.2)	8.3 (± 0.6)
d. Very easy	8.4 (± 1.2)	9.6 (± 1.0)
156. If you wanted to get some marijuana, how easy would it be for you to get some?		
	Local (n = 1,879)	State (n = 8,162)
a. Very hard	88.2% (± 1.4%)	85.4% (± 1.2%)
b. Sort of hard	6.2 (± 1.2)	7.0 (± 0.6)
c. Sort of easy	2.8 (± 0.8)	3.7 (± 0.6)
d. Very easy	2.9 (± 0.8)	3.9 (± 0.6)
157. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?		
	Local (n = 1,860)	State (n = 8,104)
a. Very hard	89.7% (± 1.4%)	88.1% (± 0.8%)
b. Sort of hard	5.3 (± 1.0)	6.1 (± 0.6)
c. Sort of easy	2.5 (± 0.8)	2.8 (± 0.4)
d. Very easy	2.6 (± 0.8)	2.9 (± 0.4)
[Item 158 appears only on the secondary version of the survey.]		
159. How wrong would most adults in your neighborhood think it was for kids your age to use marijuana?		
	Local (n = 1,933)	State (n = 8,412)
a. Very wrong	87.8% (± 1.4%)	85.2% (± 1.2%)
b. Wrong	8.3 (± 1.2)	9.1 (± 0.8)
c. A little bit wrong	2.7 (± 0.8)	3.4 (± 0.6)
d. Not wrong at all	1.1 (± 0.4)	2.3 (± 0.4)
160. How wrong would most adults in your neighborhood think it was for kids your age to drink alcohol?		
	Local (n = 1,939)	State (n = 8,471)
a. Very wrong	77.7% (± 1.8%)	77.8% (± 1.0%)
b. Wrong	15.7 (± 1.6)	14.2 (± 0.8)
c. A little bit wrong	5.0 (± 1.0)	5.3 (± 0.6)
d. Not wrong at all	1.7 (± 0.6)	2.6 (± 0.4)

161. How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes?	Local (n = 1,946)	State (n = 8,473)
a. Very wrong	80.7% (± 1.8%)	79.0% (± 1.2%)
b. Wrong	12.8 (± 1.6)	13.1 (± 0.8)
c. A little bit wrong	4.0 (± 0.8)	4.9 (± 0.6)
d. Not wrong at all	2.5 (± 0.8)	3.1 (± 0.4)
162. If a kid drank some beer, wine, or hard liquor (for example, vodka, whiskey, or gin) in your neighborhood would he or she be caught by the police?	Local (n = 1,899)	State (n = 8,326)
a. NO!	13.0% (± 1.6%)	13.4% (± 1.2%)
b. no	28.5 (± 2.0)	28.2 (± 1.2)
c. yes	30.5 (± 2.2)	30.5 (± 1.4)
d. YES!	27.9 (± 2.0)	27.9 (± 1.4)
163. If a kid carried a handgun in your neighborhood, would he or she be caught by the police?	Local (n = 1,909)	State (n = 8,338)
a. NO!	9.9% (± 1.4%)	10.0% (± 0.8%)
b. no	14.9 (± 1.6)	12.9 (± 1.0)
c. yes	27.6 (± 2.0)	28.7 (± 1.0)
d. YES!	47.6 (± 2.2)	48.5 (± 1.8)
164. If a kid smoked marijuana in your neighborhood, would he or she be caught by the police?	Local (n = 1,900)	State (n = 8,304)
a. NO!	8.7% (± 1.2%)	9.6% (± 0.8%)
b. no	21.3 (± 1.8)	19.6 (± 1.2)
c. yes	30.4 (± 2.2)	31.9 (± 1.2)
d. YES!	39.6 (± 2.2)	38.9 (± 1.4)
[Items 165–170 appears only on the secondary version of the survey.]		
171. My neighbors notice when I am doing a good job and let me know.	Local (n = 1,973)	State (n = 8,617)
a. NO!	35.7% (± 2.2%)	38.8% (± 1.6%)
b. no	35.8 (± 2.2)	34.9 (± 1.4)
c. yes	21.5 (± 1.8)	19.7 (± 1.0)
d. YES!	7.0 (± 1.2)	6.6 (± 0.6)
172. There are people in my neighborhood who encourage me to do my best.	Local (n = 1,970)	State (n = 8,635)
a. NO!	25.8% (± 2.0%)	26.9% (± 1.4%)
b. no	28.4 (± 2.0)	26.7 (± 1.2)
c. yes	32.6 (± 2.2)	32.5 (± 1.2)
d. YES!	13.1 (± 1.6)	13.9 (± 1.0)
173. There are people in my neighborhood who are proud of me when I do something well.	Local (n = 1,963)	State (n = 8,588)
a. NO!	25.5% (± 2.0%)	25.3% (± 1.4%)
b. no	29.7 (± 2.0)	29.3 (± 1.2)
c. yes	32.9 (± 2.2)	33.3 (± 1.4)
d. YES!	11.9 (± 1.4)	12.1 (± 1.0)

## Family Domain

*The next set of questions asks about your family. When answering these questions, please think about the people you consider to be your family—parents, stepparents, grandparents, aunts, uncles, etc.*

[Items 174–181 appears only on the secondary version of the survey.]

182.	If I had a personal problem, I could ask my mom or dad for help. <sup>†</sup>	Local (n = 1,317)	State (n = 4,536)
a.	NO!	5.8% (± 1.2%)	6.5% (± 1.0%)
b.	no	8.2 (± 1.6)	7.6 (± 0.8)
c.	yes	30.6 (± 2.5)	29.7 (± 1.6)
d.	YES!	55.4 (± 2.7)	56.2 (± 2.0)
183.	My parents give me lots of chances to do fun things with them. <sup>†</sup>	Local (n = 1,329)	State (n = 4,615)
a.	NO!	5.6% (± 1.2%)	6.6% (± 1.0%)
b.	no	10.2 (± 1.6)	11.1 (± 0.8)
c.	yes	39.9 (± 2.5)	40.0 (± 1.6)
d.	YES!	44.3 (± 2.7)	42.2 (± 1.8)
184.	My parents ask me what I think before most family decisions affecting me are made. <sup>†</sup>	Local (n = 1,302)	State (n = 4,465)
a.	NO!	12.3% (± 1.8%)	9.7% (± 1.2%)
b.	no	17.1 (± 2.0)	19.8 (± 1.2)
c.	yes	39.3 (± 2.7)	41.3 (± 1.2)
d.	YES!	31.3 (± 2.5)	29.2 (± 1.6)
185.	My parents notice when I am doing a good job and let me know about it. <sup>†</sup>	Local (n = 1,325)	State (n = 4,553)
a.	Never or almost never	5.6% (± 1.2%)	5.3% (± 0.8%)
b.	Sometimes	17.1 (± 2.0)	17.9 (± 1.6)
c.	Often	28.2 (± 2.4)	28.4 (± 1.4)
d.	All the time	49.2 (± 2.7)	48.3 (± 2.0)
186.	How often do your parents tell you they're proud of you for something you've done? <sup>†</sup>	Local (n = 1,317)	State (n = 4,553)
a.	Never or almost never	5.1% (± 1.2%)	4.7% (± 0.8%)
b.	Sometimes	15.4 (± 2.0)	16.4 (± 1.6)
c.	Often	31.7 (± 2.5)	31.5 (± 2.0)
d.	All the time	47.8 (± 2.7)	47.3 (± 2.2)
187.	Do you enjoy spending time with your mother? <sup>†</sup>	Local (n = 1,325)	State (n = 4,568)
a.	NO!	2.4% (± 0.8%)	2.1% (± 0.6%)
b.	no	3.8 (± 1.0)	3.7 (± 0.6)
c.	yes	25.6 (± 2.4)	26.1 (± 1.0)
d.	YES!	68.2 (± 2.5)	68.1 (± 1.4)
188.	Do you enjoy spending time with your father? <sup>†</sup>	Local (n = 1,298)	State (n = 4,499)
a.	NO!	5.2% (± 1.2%)	5.4% (± 1.0%)
b.	no	5.1 (± 1.2)	5.2 (± 0.6)
c.	yes	24.3 (± 2.4)	26.0 (± 1.4)
d.	YES!	65.3 (± 2.5)	63.3 (± 1.8)

**School Domain**

189. Putting them all together, what were your grades like last year?	Local (n = 1,934)	State (n = 8,400)
a. Mostly As	46.4% (± 2.2%)	38.2% (± 2.4%)
b. Mostly Bs	35.6 (± 2.2)	43.6 (± 1.8)
c. Mostly Cs	12.7 (± 1.6)	13.9 (± 1.2)
d. Mostly Ds	3.3 (± 0.8)	2.6 (± 0.4)
e. Mostly Fs	2.0 (± 0.6)	1.7 (± 0.4)
190. Are your school grades better than the grades of most students in your class?	Local (n = 1,940)	State (n = 8,459)
a. NO!	6.0% (± 1.0%)	6.1% (± 0.6%)
b. no	30.2 (± 2.0)	31.1 (± 1.4)
c. yes	50.2 (± 2.2)	50.9 (± 1.4)
d. YES!	13.6 (± 1.6)	11.8 (± 1.0)
191. How often do you feel the schoolwork you are assigned is meaningful and important?	Local (n = 1,994)	State (n = 8,695)
a. Almost always	29.3% (± 2.0%)	29.0% (± 1.4%)
b. Often	28.8 (± 2.0)	27.9 (± 1.0)
c. Sometimes	28.0 (± 2.0)	29.7 (± 1.2)
d. Seldom	8.8 (± 1.2)	8.8 (± 0.8)
e. Never	5.2 (± 1.0)	4.6 (± 0.6)
192. How interesting are most of your courses to you?	Local (n = 1,942)	State (n = 8,412)
a. Very interesting and stimulating	12.3% (± 1.4%)	12.3% (± 1.2%)
b. Quite interesting	32.9 (± 2.2)	35.4 (± 1.2)
c. Fairly interesting	33.4 (± 2.2)	34.6 (± 1.4)
d. Slightly dull	14.8 (± 1.6)	12.4 (± 0.8)
e. Very dull	6.6 (± 1.2)	5.4 (± 0.6)
193. How important do you think the things you are learning in school are going to be for you later in life?	Local (n = 1,991)	State (n = 8,694)
a. Very important	52.5% (± 2.2%)	54.5% (± 2.0%)
b. Quite important	28.2 (± 2.0)	26.6 (± 1.4)
c. Fairly important	13.0 (± 1.6)	12.6 (± 0.8)
d. Slightly important	5.1 (± 1.0)	4.7 (± 0.6)
e. Not at all important	1.2 (± 0.4)	1.5 (± 0.4)

**Think back over the past year in school. How often did you:**

194. Enjoy being in school?	Local (n = 2,006)	State (n = 8,784)
a. Never	5.6% (± 1.0%)	5.8% (± 0.6%)
b. Seldom	7.2 (± 1.2)	7.1 (± 0.6)
c. Sometimes	30.3 (± 2.0)	32.8 (± 1.2)
d. Often	25.4 (± 2.0)	25.0 (± 1.2)
e. Almost always	31.4 (± 2.0)	29.4 (± 1.4)

	Local	State
195. Hate being in school?	(n = 2,010)	(n = 8,752)
a. Never	18.7% (± 1.8%)	18.7% (± 1.0%)
b. Seldom	25.4 (± 2.0)	25.0 (± 1.4)
c. Sometimes	39.1 (± 2.2)	39.9 (± 1.4)
d. Often	9.6 (± 1.4)	9.6 (± 0.8)
e. Almost always	7.3 (± 1.2)	6.8 (± 0.6)
196. Try to do your best work in school?	Local (n = 2,003)	State (n = 8,745)
a. Never	0.2% (± 0.2%)	0.8% (± 0.2%)
b. Seldom	1.1 (± 0.4)	1.2 (± 0.2)
c. Sometimes	4.4 (± 1.0)	6.5 (± 0.8)
d. Often	16.3 (± 1.6)	19.1 (± 1.0)
e. Almost always	78.0 (± 1.8)	72.5 (± 1.4)
[Items 197–202 appear only on the secondary version of the survey.]		
203. My teacher(s) notices when I am doing a good job and lets me know about it.	Local (n = 2,002)	State (n = 8,711)
a. NO!	4.2% (± 0.8%)	5.1% (± 0.6%)
b. no	15.1 (± 1.6)	14.3 (± 1.0)
c. yes	55.9 (± 2.2)	55.5 (± 1.4)
d. YES!	24.8 (± 2.0)	25.1 (± 1.2)
204. The school lets my parents know when I have done something well.	Local (n = 1,969)	State (n = 8,647)
a. NO!	12.7% (± 1.6%)	12.7% (± 1.0%)
b. no	35.2 (± 2.2)	32.7 (± 1.4)
c. yes	37.9 (± 2.2)	39.8 (± 1.4)
d. YES!	14.2 (± 1.6)	14.9 (± 1.0)
205. I feel safe at my school.	Local (n = 1,999)	State (n = 8,705)
a. NO! <sup>A,C</sup> / Definitely NOT true <sup>B</sup>	2.9% (± 0.8%)	3.9% (± 0.6%)
b. no <sup>A,C</sup> / Mostly not true <sup>B</sup>	8.2 (± 1.2)	7.5 (± 0.8)
c. yes <sup>A,C</sup> / Mostly true <sup>B</sup>	43.4 (± 2.2)	47.4 (± 1.2)
d. YES! <sup>A,C</sup> / Definitely true <sup>B</sup>	45.5 (± 2.2)	41.2 (± 1.8)
206. My teachers praise me when I work hard in school.	Local (n = 1,968)	State (n = 8,500)
a. NO!	10.3% (± 1.4%)	10.6% (± 1.2%)
b. no	27.1 (± 2.0)	28.3 (± 1.4)
c. yes	46.7 (± 2.2)	47.4 (± 1.6)
d. YES!	15.9 (± 1.6)	13.8 (± 0.8)

## Peer and Individual Domain

*How much do you think people risk harming themselves if they:*

	Local	State
207. Smoke one or more packs of cigarettes per day?	(n = 1,865)	(n = 8,176)
a. No risk	4.2% (± 1.0%)	5.7% (± 0.8%)
b. Slight risk	3.9 (± 0.8)	4.7 (± 0.6)
c. Moderate risk	12.5 (± 1.6)	13.8 (± 0.8)
d. Great risk	68.5 (± 2.2)	63.4 (± 1.6)
e. Not sure	11.0 (± 1.4)	12.4 (± 1.0)

	Local	State
208. Try marijuana once or twice?	(n = 1,855)	(n = 8,117)
a. No risk	7.7% (± 1.2%)	9.3% (± 1.2%)
b. Slight risk	15.0 (± 1.6)	15.3 (± 0.8)
c. Moderate risk	24.2 (± 2.0)	23.6 (± 1.2)
d. Great risk	41.0 (± 2.2)	38.8 (± 1.4)
e. Not sure	12.1 (± 1.6)	13.0 (± 1.0)
209. Smoke marijuana regularly?	Local	State
	(n = 1,848)	(n = 8,076)
a. No risk	6.5% (± 1.2%)	8.2% (± 1.0%)
b. Slight risk	3.9 (± 1.0)	4.1 (± 0.4)
c. Moderate risk	8.4 (± 1.2)	10.3 (± 0.8)
d. Great risk	70.9 (± 2.2)	66.9 (± 2.0)
e. Not sure	10.2 (± 1.4)	10.5 (± 0.8)
210. Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?	Local	State
	(n = 1,848)	(n = 8,094)
a. No risk	13.6% (± 1.6%)	15.7% (± 1.0%)
b. Slight risk	22.3 (± 2.0)	20.8 (± 1.0)
c. Moderate risk	24.8 (± 2.0)	26.2 (± 1.2)
d. Great risk	28.8 (± 2.2)	26.6 (± 1.2)
e. Not sure	10.4 (± 1.4)	10.8 (± 1.0)

**How old were you the first time you:**

[Item 211 appears only on the secondary version of the survey.]

	Local	State
212. Have you ever, even once in your lifetime smoked marijuana?	(n = 1,937)	(n = 8,447)
a. Yes	1.9% (± 0.6%)	3.2% (± 0.6%)
b. No	98.1 (± 0.6)	96.8 (± 0.6)

[Items 213–214 appear only on the secondary version of the survey.]

	Local	State
215. Have you ever, even once in your lifetime had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)?	(n = 1,930)	(n = 8,421)
a. Yes	30.1% (± 2.0%)	30.9% (± 1.6%)
b. No	69.9 (± 2.0)	69.1 (± 1.6)

[Items 216–224 appear only on the secondary version of the survey.]

**How wrong do you think it is for someone your age to:**

	Local	State
225. Drink beer, wine, or hard liquor (for example, vodka, whiskey, or gin) regularly?	(n = 1,855)	(n = 8,171)
a. Very wrong	82.8% (± 1.8%)	82.8% (± 1.2%)
b. Wrong	12.1 (± 1.6)	12.2 (± 0.8)
c. A little bit wrong	4.0 (± 1.0)	3.9 (± 0.6)
d. Not wrong at all	1.0 (± 0.4)	1.0 (± 0.2)



	Local (n = 1,855)	State (n = 8,171)
226. Smoke cigarettes?		
a. Very wrong	87.8% (± 1.6%)	87.0% (± 1.0%)
b. Wrong	8.8 (± 1.4)	10.0 (± 0.8)
c. A little bit wrong	2.5 (± 0.8)	2.2 (± 0.4)
d. Not wrong at all	0.9 (± 0.4)	0.8 (± 0.2)

	Local (n = 1,839)	State (n = 8,089)
227. Smoke marijuana?		
a. Very wrong	93.5% (± 1.2%)	92.8% (± 0.8%)
b. Wrong	4.2 (± 1.0)	4.8 (± 0.6)
c. A little bit wrong	1.7 (± 0.6)	1.5 (± 0.4)
d. Not wrong at all	0.5 (± 0.4)	0.8 (± 0.2)

	Local (n = 1,846)	State (n = 8,111)
228. Use LSD, cocaine, amphetamines, or another illegal drug?		
a. Very wrong	95.0% (± 1.0%)	94.8% (± 0.6%)
b. Wrong	3.1 (± 0.8)	3.3 (± 0.4)
c. A little bit wrong	1.2 (± 0.6)	1.0 (± 0.2)
d. Not wrong at all	0.7 (± 0.4)	1.0 (± 0.2)

[Items 229–251 appear only on the secondary version of the survey.]

***Think about your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...***

	Local (n = 1,922)	State (n = 8,420)
252. Participated in clubs, organizations or activities at school?		
a. None of my friends	17.2% (± 1.8%)	15.7% (± 1.2%)
b. 1 of my friends	18.0 (± 1.8)	16.8 (± 1.0)
c. 2 of my friends	21.3 (± 1.8)	19.9 (± 0.8)
d. 3 of my friends	14.8 (± 1.6)	15.2 (± 0.8)
e. 4 of my friends	28.7 (± 2.0)	32.5 (± 1.6)

	Local (n = 1,902)	State (n = 8,310)
253. Made a commitment to stay drug-free?		
a. None of my friends	18.9% (± 1.8%)	20.1% (± 1.4%)
b. 1 of my friends	5.8 (± 1.0)	6.6 (± 0.6)
c. 2 of my friends	4.5 (± 1.0)	5.4 (± 0.6)
d. 3 of my friends	5.6 (± 1.0)	5.8 (± 0.4)
e. 4 of my friends	65.1 (± 2.2)	62.1 (± 1.8)

	Local (n = 1,918)	State (n = 8,415)
254. Liked school?		
a. None of my friends	16.8% (± 1.8%)	16.1% (± 1.0%)
b. 1 of my friends	12.5 (± 1.6)	13.1 (± 0.8)
c. 2 of my friends	16.6 (± 1.8)	18.5 (± 1.0)
d. 3 of my friends	20.1 (± 1.8)	20.5 (± 1.0)
e. 4 of my friends	34.0 (± 2.2)	31.8 (± 1.6)

	Local (n = 1,859)	State (n = 8,112)
255. Regularly attended religious services?		
a. None of my friends	30.3% (± 2.2%)	28.7% (± 1.6%)
b. 1 of my friends	24.1 (± 2.0)	22.2 (± 1.0)
c. 2 of my friends	19.3 (± 1.8)	19.6 (± 1.2)
d. 3 of my friends	12.5 (± 1.6)	12.6 (± 1.0)
e. 4 of my friends	13.8 (± 1.6)	16.9 (± 1.0)

	Local (n = 1,934)	State (n = 8,413)
256. Tried to do well in school?		
a. None of my friends	3.7% (± 0.8%)	4.7% (± 0.6%)
b. 1 of my friends	5.1 (± 1.0)	5.5 (± 0.6)
c. 2 of my friends	7.7 (± 1.2)	8.1 (± 0.6)
d. 3 of my friends	12.9 (± 1.6)	12.6 (± 0.8)
e. 4 of my friends	70.6 (± 2.0)	69.1 (± 1.4)

[Items 257–260 appear only on the secondary version of the survey.]

***How many times in the past year (12 months) have you . . .***

	Local (n = 1,970)	State (n = 8,620)
261. Participated in clubs, organizations or activities at school?		
a. Never	23.2% (± 2.0%)	22.1% (± 1.6%)
b. 1 or 2 times	30.0 (± 2.0)	29.2 (± 1.2)
c. 3 to 5 times	18.4 (± 1.8)	18.9 (± 1.0)
d. 6 to 9 times	8.7 (± 1.2)	9.3 (± 0.6)
e. 10 to 19 times	6.4 (± 1.2)	7.1 (± 0.6)
f. 20 to 29 times	3.2 (± 0.8)	3.9 (± 0.6)
g. 30 to 39 times	2.1 (± 0.6)	2.3 (± 0.4)
h. 40+ times	8.0 (± 1.2)	7.2 (± 0.8)

	Local (n = 1,967)	State (n = 8,580)
262. Done extra work on your own for school?		
a. Never	24.1% (± 2.0%)	22.3% (± 1.2%)
b. 1 or 2 times	33.9 (± 2.2)	33.9 (± 1.0)
c. 3 to 5 times	18.6 (± 1.8)	18.0 (± 1.0)
d. 6 to 9 times	9.1 (± 1.2)	10.1 (± 0.8)
e. 10 to 19 times	5.9 (± 1.0)	6.4 (± 0.6)
f. 20 to 29 times	3.3 (± 0.8)	3.6 (± 0.4)
g. 30 to 39 times	1.5 (± 0.6)	1.5 (± 0.2)
h. 40+ times	3.6 (± 0.8)	4.3 (± 0.6)

	Local (n = 1,959)	State (n = 8,559)
263. Volunteered to do community service?		
a. Never	51.7% (± 2.2%)	50.7% (± 1.6%)
b. 1 or 2 times	25.2 (± 2.0)	24.8 (± 1.2)
c. 3 to 5 times	10.0 (± 1.4)	11.0 (± 0.8)
d. 6 to 9 times	4.5 (± 1.0)	5.4 (± 0.6)
e. 10 to 19 times	3.8 (± 0.8)	3.5 (± 0.4)
f. 20 to 29 times	1.7 (± 0.6)	1.4 (± 0.2)
g. 30 to 39 times	0.7 (± 0.4)	0.9 (± 0.2)
h. 40+ times	2.3 (± 0.6)	2.3 (± 0.4)

[Items 264–267 appear only on the secondary version of the survey.]

## Item Index

- Age at first use 47, 212, 215
- Alcohol  
     Age at first use 215  
     Attitudes 160, 225  
     Driving 109  
     Source 154  
     Use 17, 34, 162, 210, 215
- Asthma 90–91
- Bullying 132
- Clubs 252, 261
- Cocaine (*see* Drugs)
- Demographics 2–4, 6
- Depression 128
- Drugs  
     Cocaine 157, 228  
     Marijuana 18, 35, 156, 159, 164, 208, 209, 212, 227  
     Other drugs 24–25
- Fighting 114, 117
- Fitness  
     Body weight 69  
     Exercise 80, 89
- Guns (*see* Weapons)
- Honesty 14
- Marijuana (*see* Drugs)
- Methamphetamines (*see* Drugs)
- Nutrition 71–73, 79
- Quality of life 150
- Risk of harm 207–210
- Safety 105, 107, 111
- School  
     Achievement 189–190, 196  
     Climate 203, 204  
     Enjoyment 194, 254
- School (*continued*)  
     Safety 205  
     Schoolwork 191–193
- Suicide 126–127
- Teams (*see* Clubs)
- Tobacco  
     Advertising 57  
     Chewing 29  
     Cigarettes 16, 28, 44–45, 47–49, 161, 207, 226  
     Prevention 50–51, 62  
     Secondhand smoke 55, 58  
     Source 155
- TV/Video Games 85
- Weapons 113, 163