



Thurston County Resource Stewardship
 2000 Lakeridge Dr. S.W. Olympia, WA 98502
 (360)786-5490 / (360)754-2939 (Fax)
 TDD Line (360) 754-2933
 Email: permit@co.thurston.wa.us
www.co.thurston.wa.us/permitting

Supplemental Application

NON-RESIDENTIAL FIRE CODE - FIREWORK DISPLAY

STAFF USE ONLY	DATE STAMP
<h1 style="font-size: 4em; margin: 0;">LABEL</h1> <p style="margin: 10px 0;">PLEASE NOTE: ALL APPLICATIONS AND SITE PLANS MUST BE COMPLETED IN BLACK OR BLUE INK <u>ONLY</u></p>	
	Intake by: _____

This application cannot be submitted alone. In addition to this form, a complete package includes:

Applicant Use	SUBMITTAL CHECKLIST	Staff Use Only
<input type="checkbox"/>	Master Application.	<input type="checkbox"/>
<input type="checkbox"/>	A certificate of insurance listing a minimum of one million dollars (\$1,000,000) of liability coverage for personal injury, for each occurrence, and the aggregate amount. The insurance documentation must be received as a copy of the original with an original signature of an authorized issuer, or a FAX of the original certificate.	<input type="checkbox"/>
<input type="checkbox"/>	A diagram indicating the kind, placement, size, and range of the devices. Include location of the discharge site and the relative distances of the fallout areas, spectator areas, parking areas, highways/roads, buildings, trees and any other pertinent information. Include information regarding any road closures and a list of items to be discharged.	<input type="checkbox"/>
<input type="checkbox"/>	Documentation of the Pyrotechnic operator license.	<input type="checkbox"/>
<input type="checkbox"/>	Copy of Washington State license.	<input type="checkbox"/>
<input type="checkbox"/>	Site plan that show the entire property that includes the distance to all structures, distance to viewers/spectators, public access locations, location of fire extinguisher on site, fire department access area.	<input type="checkbox"/>
<input type="checkbox"/>	Applicable processing fees. <i>Refer to current fee schedules. Depending on the adopted fee structure, additional fees may occur if base hours/fees at intake are exhausted.</i>	<input type="checkbox"/>

Pyrotechnic Operator: _____	Company Name: _____
License #: _____	Expire Date: _____
Mailing Address: _____	City: _____ State: _____ Zip: _____
Phone #: _____	Cell Phone #: _____ Fax #: _____
E-mail Address: _____	
Contact Person: _____	Phone #: _____

Firework Display Permit Information

General Requirements for Fireworks Displays: All indoor and outdoor fireworks displays held within Thurston County require a Fireworks Permit issued by the Thurston County Fire Marshals Office. Send or deliver completed application and required material to Thurston County Fire Marshals Office, 2000 Lakeridge Drive SW, Building 1#, Olympia, Washington, 98502-6045. Permit must be signed before display is to commence. An "application" will consist of the following:

Firework Display Requirements

1. Must be 21 years of age (assistant[s] must be 18)
2. The operator is required to ensure that a sufficient number of assistants are on hand for safe conduct of the display.
3. No smoking shall be allowed within 50 feet when fireworks are present.
4. A minimum of two 2.5 gallon fire extinguishers will be available within the discharge site. The need for additional extinguishers will be determined during the application process.
5. If high winds or other weather conditions exist that in the opinion of the Fire Marshal or Operator present a significant danger, the fireworks display shall be postponed until conditions are safe. In no case shall fireworks displays be allowed in winds exceeding 20 m.p.h.
6. No fireworks displays shall be commenced without approval from the Fire Marshal upon conclusion of an onsite inspection.
7. All sites shall have "NO SMOKING" and "NO PARKING" signs posted as required.
8. All vehicle parking areas shall be cordoned off within the safety zone.
9. Fireworks displays shall be in compliance with NFPA 2000, 2002 edition, RCW 70.77 and WAC title 212-17

Failure to provide any of the above requested information may result in a delay of the review process or the rejection of your application